

**Flood Control Project Maintenance
Levee Inspections**

Fall 2008 Levee Maintenance Deficiency Summary Report

Overall LMA & Unit Ratings, including Boat Survey Erosion

Sacramento River Basin

RD0150	Overall LMA Rating	Total LMA Miles	* Overall LMA Threshold Percent is less than 10.00%; however, U Rated Miles are present, so the Overall LMA Rating is M instead of A.			
Reclamation District No. 0150	M *	18.07				
Rated Item	M Miles	U Miles	M + 4U Miles	Threshold %	Encroachments PO Miles CO Miles	
Vegetation	0.22		0.22	1.22%		
Trim / Thin Trees	0.53		0.53	2.93%		
Encroachments	0.13		0.13	0.72%	1.06	0.29
Animal Control	0.20		0.20	1.11%		
Slope Stability	0.03		0.03	0.17%		
Erosion / Bank Caving	0.08		0.08	0.44%		
Crown Surface / Depressions / Rutting	0.01		0.01	0.06%		
Boat Survey Erosion	0.03	0.09	0.39	2.16%		
<i>LMA Totals:</i>	1.23	0.09	1.59	8.80% *	1.06	0.29

Unit No. 01 Sutter Slough	Overall Unit Rating	Total Unit Miles				
	A	0.54				
Rated Item	M Miles	U Miles	M + 4U Miles	Threshold %	Encroachments PO Miles CO Miles	
No Items						
<i>Unit Totals:</i>	0.00	0.00	0.00	0.00%	0.00	0.00

Unit No. 02 Sacramento River	Overall Unit Rating	Total Unit Miles				
	M	7.95				
Rated Item	M Miles	U Miles	M + 4U Miles	Threshold %	Encroachments PO Miles CO Miles	
Vegetation	0.20		0.20	2.52%		
Trim / Thin Trees	0.41		0.41	5.16%		
Encroachments	0.05		0.05	0.63%	0.39	0.28
Slope Stability	0.01		0.01	0.13%		
Erosion / Bank Caving	0.01		0.01	0.13%		
Boat Survey Erosion	0.03	0.08	0.35	4.40%		
<i>Unit Totals:</i>	0.71	0.08	1.03	12.96%	0.39	0.28

Unit No. 03 Elk Slough	Overall Unit Rating	Total Unit Miles	* Overall Unit Threshold Percent is less than 10.00%; however, U Rated Miles are present, so the Overall Unit Rating is M instead of A.			
	M *	9.58				
Rated Item	M Miles	U Miles	M + 4U Miles	Threshold %	Encroachments PO Miles CO Miles	
Vegetation	0.02		0.02	0.21%		
Trim / Thin Trees	0.12		0.12	1.25%		
Encroachments	0.08		0.08	0.84%	0.67	0.01
Animal Control	0.20		0.20	2.09%		
Slope Stability	0.02		0.02	0.21%		
Erosion / Bank Caving	0.07		0.07	0.73%		
Crown Surface / Depressions / Rutting	0.01		0.01	0.10%		
Boat Survey Erosion		0.01	0.04	0.42%		
<i>Unit Totals:</i>	0.52	0.01	0.56	5.85% *	0.67	0.01

**Flood Control Project Maintenance
Levee Inspections**
LMA District Cover Sheet
Fall 2008 Levee Inspection Results

Reclamation District No. 0150

	Spring (March - May)	Summer ** (June - August)	Fall (September - November)	Winter ** (December - February)
* Overall LMA Rating (Fall Only)			M	

** Non-receipt of Summer or Winter Inspection Reports may effect overall annual rating.

*
SPRING INSPECTIONS: Overall maintenance ratings are not determined for the spring inspection results. Individual maintenance deficiencies are rated using the same criteria in the spring and in the fall.

FALL INSPECTIONS: The overall maintenance rating shown above is based on operation and maintenance deficiencies identified within the attached unit inspection reports.

Comments

**Flood Control Project Maintenance
Levee Inspections**

Unit Cover Sheet

Fall 2008 Levee Inspection Results

Reclamation District No. 0150

Waterway			Bank	Unit Miles
Unit No. 01 Sutter Slough			Left	0.54
	Spring (March - May)	Summer (June - August)	Fall (September - November)	Winter (December - February)
Date of Inspection	3/26/2008		10/31/2008	
DWR Inspector	Richard Willoughby		David Pesavento	
Accompanied By				
Unit Maintenance Rating (Fall Only)			A	

Check one:

- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. We have found no changes in flood project conditions other than the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the enclosed report.
- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. In addition to the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the report, we have found the following changes in flood project conditions.

(In the comment section below or on additional sheet(s), identify change of condition by: Start to End Levee Mile or GPS coordinates, location (Land Side, Water Side, or Crown), Item identification, and description of the current condition).

Comments

One of the boxes above is to be checked by the Local Maintaining Agency (LMA). If the second box is checked, additional information must also be submitted. This Unit Cover Sheet should be signed and dated by the LMA Representative and returned to DWR with any additional sheets by September 30 (Summer Inspection) or March 31 (Winter Inspection). Please retain a copy for your records. Please mail all of this information to :

DWR Summer/Winter Inspection Reports
3310 El Camino Avenue, Room LL-30
Sacramento, CA 95821-9000.

X

Signature of LMA Representative

Date

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 01 Sutter Slough	Left	0.54	10/31/2008	David Pesavento

LMR Line	Levee Mile		Category	Item	Location *	Rating **	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
1	0.00	0.01	Earthen Levee	Vegetation	WS	A	Remove the wild growth other than native grasses from the levee slopes.	38.347542 ° -121.575772 °	38.347542 ° -121.575772 °	Y	7
2	0.00	0.01	Earthen Levee	Vegetation	LS	A	Remove the wild growth other than native grasses from the levee slopes.	38.347542 ° -121.575772 °	38.347542 ° -121.575772 °	Y	6

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 01 Sutter Slough	Left	0.54	10/31/2008	David Pesavento

Levee Mile Report Line	1
Start Levee Mile	0.00
End Levee Mile	0.01
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on waterward slope on this unit.	



Levee Mile Report Line	2
Start Levee Mile	0.00
End Levee Mile	0.01
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on landward slope on this unit.	



Levee Mile Report Line	2
Start Levee Mile	0.00
End Levee Mile	0.01
Location	
Category	Earthen Levee
Item	Vegetation
Example of good tree trimming on landward slope on this unit.	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Unit Cover Sheet

Fall 2008 Levee Inspection Results

Reclamation District No. 0150

Waterway			Bank	Unit Miles
Unit No. 02 Sacramento River			Right	7.95
	Spring (March - May)	Summer (June - August)	Fall (September - November)	Winter (December - February)
Date of Inspection	4/15/2008		9/24/2008	
DWR Inspector	Richard Willoughby		David Pesavento	
Accompanied By				
Unit Maintenance Rating (Fall Only)			M	

Check one:

- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. We have found no changes in flood project conditions other than the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the enclosed report.
- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. In addition to the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the report, we have found the following changes in flood project conditions.

(In the comment section below or on additional sheet(s), identify change of condition by: Start to End Levee Mile or GPS coordinates, location (Land Side, Water Side, or Crown), Item identification, and description of the current condition).

Comments

One of the boxes above is to be checked by the Local Maintaining Agency (LMA). If the second box is checked, additional information must also be submitted. This Unit Cover Sheet should be signed and dated by the LMA Representative and returned to DWR with any additional sheets by September 30 (Summer Inspection) or March 31 (Winter Inspection). Please retain a copy for your records. Please mail all of this information to : DWR Summer/Winter Inspection Reports
3310 El Camino Avenue, Room LL-30
Sacramento, CA 95821-9000.

X

Signature of LMA Representative

Date

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway						Bank	Unit Miles	Inspection Date		Inspector	
Unit No. 02 Sacramento River						Right	7.95	09/24/2008		David Pesavento	
LMR Line	Levee Mile		Category	Item	Location	Rating	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
1	0.06	0.06	Earthen Levee	Erosion / Bank Caving	LS	M	Schedule repair of erosion site prior to the next inspection.	38.328907 ° -121.575574 °	38.328907 ° -121.575574 °	Y	95
2	0.16	0.16	Earthen Levee	Encroachments	WS	PO	Buildings	38.330047 ° -121.574538 °	38.330047 ° -121.574538 °	Y	49
3	0.24	0.24	Earthen Levee	Vegetation	WS	M	Remove the wild growth other than native grasses from the levee slopes.	38.330956 ° -121.573660 °	38.330956 ° -121.573660 °	Y	50
4	0.25	0.25	Earthen Levee	Encroachments	LS	CO	Landscaping	38.331035 ° -121.573502 °	38.331035 ° -121.573502 °	Y	4
5	0.27	0.27	Earthen Levee	Encroachments	LS	M	Tree or limb	38.331410 ° -121.573331 °	38.331410 ° -121.573331 °	Y	94
6	0.59	0.59	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.334776 ° -121.569760 °	38.334776 ° -121.569760 °	Y	51
7	0.59	0.59	Earthen Levee	Trim / Thin Trees	WS	M	Trim trees to at least five feet above ground level.	38.334795 ° -121.569642 °	38.334795 ° -121.569642 °		5
8	0.82	0.82	Earthen Levee	Vegetation	LS	A	Remove the wild growth other than native grasses from the levee slopes.	38.337455 ° -121.567289 °	38.337455 ° -121.567289 °	Y	93
9	0.98	1.00	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.339042 ° -121.565209 °	38.339307 ° -121.564860 °		6
10	1.09	1.12	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.340042 ° -121.563693 °	38.340397 ° -121.563375 °		7
11	1.25	1.28	Boat Survey	Boat Survey Erosion	LS	M	Inspector Comments: none	38.342078 ° -121.561436 °	38.341617 ° -121.561686 °		946
12	1.28	1.28	Earthen Levee	Encroachments	LS	PO	Landscaping	38.342229 ° -121.561694 °	38.342229 ° -121.561694 °		92
13	1.34	1.37	Earthen Levee	Encroachments	LS	PO	Landscaping	38.342969 ° -121.561196 °	38.343252 ° -121.560794 °		91
14	1.43	1.43	Boat Survey	Boat Survey Erosion	LS	U	Inspector Comments: slumping, caves	38.343536 ° -121.559636 °	38.343536 ° -121.559636 °		947
15	1.73	1.73	Earthen Levee	Trim / Thin Trees	LS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.345574 ° -121.554909 °	38.345574 ° -121.554909 °		90
16	1.76	1.76	Earthen Levee	Encroachments	LS	PO	Landscaping	38.345675 ° -121.554407 °	38.345675 ° -121.554407 °		89
17	2.20	2.25	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.347104 ° -121.546744 °	° °		11
18	2.34	2.34	Earthen Levee	Encroachments	LS	PO	Landscaping	38.347361 ° -121.544280 °	38.347361 ° -121.544280 °		88
19	2.35	2.35	Earthen Levee	Encroachments	LS	M	Debris	38.347169 ° -121.544008 °	38.347169 ° -121.544008 °		87

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway						Bank	Unit Miles	Inspection Date		Inspector	
Unit No. 02 Sacramento River						Right	7.95	09/24/2008		David Pesavento	
LMR Line	Levee Mile		Category	Item	Location *	Rating **	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
20	2.50	2.50	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.347685 ° -121.541380 °	38.347685 ° -121.541380 °		13
21	2.79	2.79	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.349941 ° -121.537000 °	38.349941 ° -121.537000 °		86
22	2.80	2.80	Earthen Levee	Slope Stability	WS	M	Repair the levee slope damaged by foot traffic and prevent access where possible.	38.349965 ° -121.536820 °	38.349965 ° -121.536820 °		53
23	2.84	2.84	Earthen Levee	Encroachments	LS	M	Tree or limb	38.350375 ° -121.536152 °	38.350375 ° -121.536152 °	Y	15
24	3.02	3.06	Earthen Levee	Encroachments	LS	CO	Landscaping	38.352372 ° -121.534127 °	38.352802 ° -121.533638 °	Y	85
25	3.25	3.25	Earthen Levee	Vegetation	LS	M	Elderberries are blocking visibility and flood fight capability.	38.354876 ° -121.531531 °	38.354876 ° -121.531531 °		84
26	3.48	3.51	Earthen Levee	Trim / Thin Trees	LS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.357320 ° -121.528647 °	38.357660 ° -121.528272 °		19
27	3.53	3.56	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.357869 ° -121.528011 °	38.358158 ° -121.527642 °	Y	83
28	3.60	3.73	Earthen Levee	Encroachments	LS	CO	Landscaping	38.358565 ° -121.527153 °	38.359729 ° -121.525345 °		82
29	3.75	3.75	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.359830 ° -121.525167 °	38.359830 ° -121.525167 °		81
30	3.90	3.93	Earthen Levee	Encroachments	LS	PO	Landscaping	38.361419 ° -121.523225 °	38.361752 ° -121.522974 °	Y	80
31	4.33	4.35	Earthen Levee	Encroachments	LS	CO	Landscaping	38.367442 ° -121.522427 °	38.367740 ° -121.522495 °	Y	24
32	4.37	4.41	Earthen Levee	Encroachments	LS	CO	Landscaping	38.368036 ° -121.522611 °	38.368540 ° -121.522729 °		79
33	4.55	4.57	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.370531 ° -121.523223 °	38.370762 ° -121.523293 °	Y	78
34	4.57	4.64	Boat Survey	Boat Survey Erosion	LS	U	Inspector Comments: slumping, tree hazards, animal burrows	38.371910 ° -121.523174 °	38.370934 ° -121.522968 °		948
35	4.76	4.76	Earthen Levee	Vegetation	WS	M	Remove the wild growth other than native grasses from the levee slopes.	38.373485 ° -121.523963 °	38.373485 ° -121.523963 °	Y	28
36	4.77	4.81	Earthen Levee	Trim / Thin Trees	LS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.373549 ° -121.524208 °	38.374121 ° -121.524458 °		77
37	4.83	4.86	Earthen Levee	Encroachments	LS	PO	Landscaping	38.374296 ° -121.524591 °	38.374675 ° -121.524788 °		76
38	5.15	5.18	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.378715 ° -121.525458 °	38.379241 ° -121.525240 °		30

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway						Bank	Unit Miles	Inspection Date		Inspector	
Unit No. 02 Sacramento River						Right	7.95	09/24/2008		David Pesavento	
LMR Line	Levee Mile		Category	Item	Location	Rating	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
39	5.19	5.23	Earthen Levee	Encroachments	LS	PO	Landscaping	38.379286 ° -121.525256 °	38.379861 ° -121.525020 °		75
40	5.47	5.51	Earthen Levee	Trim / Thin Trees	LS	M	Thin trees to allow visibility of the ground and room to flood fight.	38.382658 ° -121.522450 °	38.382979 ° -121.521904 °		74
41	5.56	5.56	Earthen Levee	Trim / Thin Trees	LS	M	Thin trees to allow visibility of the ground and room to flood fight.	38.383402 ° -121.521150 °	38.383402 ° -121.521150 °		73
42	5.74	5.74	Earthen Levee	Vegetation	WS	A	Remove the wild growth other than native grasses from the levee slopes.	38.384820 ° -121.518571 °	38.384820 ° -121.518571 °	Y	54
43	6.03	6.03	Earthen Levee	Vegetation	LS	A	Remove the wild growth other than native grasses from the levee slopes.	38.388331 ° -121.515811 °	38.388331 ° -121.515811 °	Y	72
44	6.19	6.19	Earthen Levee	Encroachments	LS	PO	Landscaping	38.390582 ° -121.515101 °	38.390582 ° -121.515101 °		71
45	6.28	6.28	Earthen Levee	Encroachments	LS	M	Debris	38.391838 ° -121.514887 °	38.391838 ° -121.514887 °	Y	70
46	6.35	6.35	Earthen Levee	Trim / Thin Trees	WS	A	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.392786 ° -121.514631 °	38.392786 ° -121.514631 °	Y	55
47	6.38	6.38	Earthen Levee	Trim / Thin Trees	LS	M	Thin trees to allow visibility of the ground and room to flood fight.	38.393263 ° -121.514710 °	38.393263 ° -121.514710 °		69
48	6.43	6.43	Earthen Levee	Encroachments	LS	PO	Landscaping	38.393867 ° -121.514615 °	38.393867 ° -121.514615 °		68
49	6.44	6.44	Earthen Levee	Trim / Thin Trees	LS	M	Thin trees to allow visibility of the ground and room to flood fight.	38.394057 ° -121.514602 °	38.394057 ° -121.514602 °		67
50	6.45	6.48	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.394199 ° -121.514594 °	38.394615 ° -121.514586 °		66
51	6.49	6.51	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.394705 ° -121.514408 °	38.395083 ° -121.514458 °		38
52	6.54	6.57	Earthen Levee	Encroachments	LS	PO	Landscaping	38.395445 ° -121.514590 °	38.395931 ° -121.514604 °		65
53	6.68	6.72	Earthen Levee	Encroachments	LS	CO	Landscaping	38.397472 ° -121.514677 °	38.398065 ° -121.514738 °	Y	64
54	6.75	6.75	Earthen Levee	Trim / Thin Trees	WS	M	Trim trees to at least five feet above ground level.	38.398540 ° -121.514697 °	38.398540 ° -121.514697 °	Y	40
55	6.76	6.79	Earthen Levee	Encroachments	LS	PO	Landscaping	38.398619 ° -121.514819 °	38.399044 ° -121.514855 °		63
56	6.80	6.80	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.399148 ° -121.514860 °	38.399148 ° -121.514860 °		62
57	6.84	6.84	Earthen Levee	Trim / Thin Trees	LS	M	Thin trees to allow visibility of the ground and room to flood fight.	38.399689 ° -121.514926 °	38.399689 ° -121.514926 °		61

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway						Bank	Unit Miles	Inspection Date		Inspector	
Unit No. 02 Sacramento River						Right	7.95	09/24/2008		David Pesavento	
LMR Line	Levee Mile		Category	Item	Location *	Rating **	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
58	6.93	7.05	Earthen Levee	Encroachments	LS	PO	Landscaping	38.400936 ° -121.515173 °	38.402613 ° -121.515863 °	Y	60
59	7.07	7.12	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.402871 ° -121.515968 °	38.403521 ° -121.516250 °	Y	59
60	7.12	7.12	Earthen Levee	Encroachments	LS	PO	Landscaping	38.403631 ° -121.516299 °	38.403631 ° -121.516299 °	Y	58
61	7.18	7.18	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.404467 ° -121.516458 °	38.404467 ° -121.516458 °	Y	45
62	7.25	7.25	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.405383 ° -121.516940 °	38.405383 ° -121.516940 °	Y	46
63	7.32	7.32	Earthen Levee	Encroachments	LS	M	Debris	38.406221 ° -121.517613 °	38.406221 ° -121.517613 °	Y	57
64	7.36	7.41	Earthen Levee	Trim / Thin Trees	LS	M	Trim trees to at least five feet above ground level.	38.406817 ° -121.517687 °	38.407430 ° -121.518047 °	Y	48
65	7.92	7.92	Earthen Levee	Encroachments	LS	PO	Landscaping	38.413705 ° -121.522806 °	38.413705 ° -121.522806 °	Y	56

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	1
Start Levee Mile	0.06
End Levee Mile	0.06
Location	
Category	Earthen Levee
Item	Erosion / Bank Caving
Repair erosion/slumping on landside slope of levee at LM 0.06	



Levee Mile Report Line	2
Start Levee Mile	0.16
End Levee Mile	0.16
Location	
Category	Earthen Levee
Item	Encroachments
Building located on waterside of levee at LM 0.16	



Levee Mile Report Line	3
Start Levee Mile	0.24
End Levee Mile	0.24
Location	
Category	Earthen Levee
Item	Vegetation
Remove century plant within 20' of waterside shoulder on waterside of the levee at LM 0.24	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	4
Start Levee Mile	0.25
End Levee Mile	0.25
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landward slope at LM 0.25 blocking view of levee slope.	



Levee Mile Report Line	5
Start Levee Mile	0.27
End Levee Mile	0.27
Location	
Category	Earthen Levee
Item	Encroachments
Remove tree branches from landside of levee at LM 0.27	



Levee Mile Report Line	6
Start Levee Mile	0.59
End Levee Mile	0.59
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Trim trees above 5' from surface of the wateside of the levee within 20' from shoulder at LM 0.59	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	8
Start Levee Mile	0.82
End Levee Mile	0.82
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on landside of levee at LM 0.82	



Levee Mile Report Line	23
Start Levee Mile	2.84
End Levee Mile	2.84
Location	
Category	Earthen Levee
Item	Encroachments
Down tree limbs on landward slope at LM 2.84	



Levee Mile Report Line	24
Start Levee Mile	3.02
End Levee Mile	3.06
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping providing a screen for a residence on landside of levee from LM 3.02 to LM 3.06	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	27
Start Levee Mile	3.53
End Levee Mile	3.56
Location	
Category	Earthen Levee
Item	Vegetation
Remove/mow vegetation along landside of levee from LM 3.53 to LM 3.56	



Levee Mile Report Line	30
Start Levee Mile	3.90
End Levee Mile	3.93
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping in front of a residence on landside of levee from LM 3.90 to LM 3.93. The levee in this location is greater than 100' wide.	



Levee Mile Report Line	31
Start Levee Mile	4.33
End Levee Mile	4.35
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping (Oleander) on landward slope from 4.33 to 4.35	



* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	PO : Partially Obstructing CO : Completely Obstructing N : Not Inspected
--	--	--

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	33
Start Levee Mile	4.55
End Levee Mile	4.57
Location	
Category	Earthen Levee
Item	Vegetation
Remove/mow vegetation on landside of levee to allow for visibility from LM 4.55 to LM 4.57	



Levee Mile Report Line	35
Start Levee Mile	4.76
End Levee Mile	4.76
Location	
Category	Earthen Levee
Item	Vegetation
Century plant on waterward slope at LM 4.76	



Levee Mile Report Line	42
Start Levee Mile	5.74
End Levee Mile	5.74
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on waterside of levee at LM 5.74	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	43
Start Levee Mile	6.03
End Levee Mile	6.03
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on landside of levee at LM 6.03	



Levee Mile Report Line	45
Start Levee Mile	6.28
End Levee Mile	6.28
Location	
Category	Earthen Levee
Item	Encroachments
Remove tires from landside of levee at LM 6.28	



Levee Mile Report Line	46
Start Levee Mile	6.35
End Levee Mile	6.35
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Example of good tree trimming on waterside of levee at LM 6.35	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	53
Start Levee Mile	6.68
End Levee Mile	6.72
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping providing a screen for a residence on landside of levee from LM 6.68 to LM 6.72	



Levee Mile Report Line	54
Start Levee Mile	6.75
End Levee Mile	6.75
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Trim/thin trees and brush on waterside of levee within 20' of shoulder to allow visibility at LM 6.75	



Levee Mile Report Line	58
Start Levee Mile	6.93
End Levee Mile	7.05
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping providing a screen for a residence on landside of levee from LM 6.93 to LM 7.05	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	59
Start Levee Mile	7.07
End Levee Mile	7.12
Location	
Category	Earthen Levee
Item	Vegetation
Remove/mow vegetation along bottom of landside slope of levee from LM 7.07 to LM 7.12	



Levee Mile Report Line	60
Start Levee Mile	7.12
End Levee Mile	7.12
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping providing a screen for a residence on landside of levee at LM 7.12	



Levee Mile Report Line	62
Start Levee Mile	7.25
End Levee Mile	7.25
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Trim or remove brush to allow for visibility on landside of levee at LM 7.25	



* Location LS : Land Side WS : Water Side CR : Crown	** Rating A : Acceptable M : Minimally Acceptable U : Unacceptable	PO : Partially Obstructing CO : Completely Obstructing N : Not Inspected
--	--	--

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 02 Sacramento River	Right	7.95	09/24/2008	David Pesavento

Levee Mile Report Line	63
Start Levee Mile	7.32
End Levee Mile	7.32
Location	
Category	Earthen Levee
Item	Encroachments
Remove pipes piled on landside of levee to at least 10' from levee toe at LM 7.32	



Levee Mile Report Line	64
Start Levee Mile	7.36
End Levee Mile	7.41
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Trim/thin trees and brush on landside of levee from LM 7.36 to LM 7.41	



Levee Mile Report Line	65
Start Levee Mile	7.92
End Levee Mile	7.92
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landside of levee at LM 7.92	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Unit Cover Sheet

Fall 2008 Levee Inspection Results

Reclamation District No. 0150

Waterway			Bank	Unit Miles
Unit No. 03 Elk Slough			Left	9.58
	Spring (March - May)	Summer (June - August)	Fall (September - November)	Winter (December - February)
Date of Inspection	4/1/2008		9/24/2008	
DWR Inspector	Richard Willoughby		David Pesavento	
Accompanied By				
Unit Maintenance Rating (Fall Only)			M	

Check one:

- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. We have found no changes in flood project conditions other than the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the enclosed report.
- ☐ During the current winter (or summer) inspection period, my staff or I have inspected the levee and associated flood project components identified in the attached Levee Inspection Report by Mile. In addition to the results of our normal maintenance and the corrections we have made to maintenance deficiencies identified in the report, we have found the following changes in flood project conditions.

(In the comment section below or on additional sheet(s), identify change of condition by: Start to End Levee Mile or GPS coordinates, location (Land Side, Water Side, or Crown), Item identification, and description of the current condition).

Comments

One of the boxes above is to be checked by the Local Maintaining Agency (LMA). If the second box is checked, additional information must also be submitted. This Unit Cover Sheet should be signed and dated by the LMA Representative and returned to DWR with any additional sheets by September 30 (Summer Inspection) or March 31 (Winter Inspection). Please retain a copy for your records. Please mail all of this information to :

DWR Summer/Winter Inspection Reports
3310 El Camino Avenue, Room LL-30
Sacramento, CA 95821-9000.

X

Signature of LMA Representative

Date

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway							Bank	Unit Miles	Inspection Date	Inspector	
Unit No. 03 Elk Slough							Left	9.58	09/24/2008	David Pesavento	
LMR Line	Levee Mile		Category	Item	Location *	Rating **	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
1	0.16	0.37	Earthen Levee	Vegetation	LS	A	Remove the wild growth other than native grasses from the levee slopes.	38.334915 ° -121.583149 °	38.337601 ° -121.581577 °	Y	41
2	0.21	0.21	Boat Survey	Boat Survey Erosion	LS	U	Inspector Comments: tree hazards, slumping	38.335655 ° -121.583258 °	38.335655 ° -121.583258 °		915
3	0.38	0.38	Earthen Levee	Encroachments	LS	PO	Landscaping Inspector Comments: ice plant on land slope	38.337632 ° -121.581532 °	38.337632 ° -121.581532 °		42
4	1.22	1.22	Earthen Levee	Crown Surface / Depressions / Rutting	CR	M	Regrade the crown roadway for proper drainage.	38.347613 ° -121.576182 °	38.347613 ° -121.576182 °	Y	9
5	1.23	1.23	Earthen Levee	Slope Stability	LS	M	Repair the levee slope damaged by vehicle traffic and prevent access where possible.	38.347607 ° -121.576130 °	38.347607 ° -121.576130 °	Y	10
6	1.66	1.66	Earthen Levee	Animal Control	LS	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.351019 ° -121.572965 °	38.351019 ° -121.572965 °		43
7	2.03	2.06	Earthen Levee	Animal Control	LS	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.354792 ° -121.569990 °	38.354689 ° -121.569417 °	Y	44
8	3.17	3.17	Earthen Levee	Vegetation	WS	A	Remove the wild growth other than native grasses from the levee slopes.	38.363795 ° -121.560362 °	38.363795 ° -121.560362 °	Y	46
9	3.43	3.48	Earthen Levee	Erosion / Bank Caving	WS	M	Note and monitor erosion site.	38.363223 ° -121.555962 °	38.363953 ° -121.555382 °	Y	14
10	3.50	3.54	Earthen Levee	Encroachments	LS	PO	Landscaping	38.364251 ° -121.555321 °	38.364772 ° -121.555343 °	Y	47
11	3.77	3.77	Earthen Levee	Slope Stability	WS	M	Repair the levee slope damaged by foot traffic and prevent access where possible.	38.367393 ° -121.554528 °	38.367393 ° -121.554528 °	Y	15
12	3.95	3.95	Earthen Levee	Encroachments	LS	M	Debris	38.368118 ° -121.551509 °	38.368118 ° -121.551509 °	Y	48
13	4.38	4.38	Earthen Levee	Vegetation	LS	A	Remove the wild growth other than native grasses from the levee slopes.	38.373650 ° -121.550540 °	38.373650 ° -121.550540 °	Y	49
14	4.38	4.38	Earthen Levee	Animal Control	LS	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.373649 ° -121.550542 °	38.373649 ° -121.550542 °		50
15	4.46	4.46	Earthen Levee	Encroachments	LS	M	Prunings	38.374269 ° -121.549385 °	38.374269 ° -121.549385 °	Y	51
16	4.51	4.51	Earthen Levee	Encroachments	LS	M	Debris	38.374267 ° -121.548441 °	38.374267 ° -121.548441 °		52
17	4.55	4.58	Earthen Levee	Encroachments	LS	PO	Landscaping	38.374311 ° -121.547802 °	38.374368 ° -121.547263 °	Y	16
18	4.59	4.59	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.374419 ° -121.547096 °	38.374419 ° -121.547096 °	Y	53
19	4.98	4.98	Earthen Levee	Encroachments	LS	M	Tree or limb	38.377601 ° -121.541549 °	38.377601 ° -121.541549 °		54

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway							Bank	Unit Miles	Inspection Date	Inspector	
Unit No. 03 Elk Slough							Left	9.58	09/24/2008	David Pesavento	
LMR Line	Levee Mile		Category	Item	Location *	Rating **	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
20	5.02	5.06	Earthen Levee	Encroachments	LS	PO	Landscaping	38.378028 ° -121.541099 °	38.378469 ° -121.540757 °		55
21	5.89	5.93	Earthen Levee	Encroachments	LS	PO	Fences	38.384363 ° -121.541161 °	38.384796 ° -121.540525 °		56
22	5.92	5.92	Earthen Levee	Encroachments	LS	M	Tree or limb	38.384648 ° -121.540669 °	38.384648 ° -121.540669 °		57
23	5.93	5.93	Earthen Levee	Encroachments	CR	CO	Buildings	38.384803 ° -121.540545 °	38.384803 ° -121.540545 °	Y	58
24	6.01	6.09	Earthen Levee	Encroachments	LS	PO	Landscaping	38.385752 ° -121.539905 °	38.386703 ° -121.540042 °		21
25	6.11	6.12	Earthen Levee	Encroachments	LS	PO	Landscaping	38.386935 ° -121.540268 °	38.387096 ° -121.540500 °		23
26	6.24	6.31	Earthen Levee	Encroachments	LS	PO	Landscaping	38.388535 ° -121.541657 °	38.389391 ° -121.541901 °	Y	24
27	6.35	6.36	Earthen Levee	Encroachments	LS	PO	Landscaping	38.389700 ° -121.541462 °	38.389808 ° -121.541285 °		25
28	6.37	6.40	Earthen Levee	Encroachments	LS	PO	Landscaping	38.389858 ° -121.541155 °	38.390115 ° -121.540657 °	Y	26
29	6.44	6.44	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.390492 ° -121.540111 °	38.390492 ° -121.540111 °		59
30	6.56	6.56	Earthen Levee	Encroachments	LS	PO	Landscaping	38.391616 ° -121.538378 °	38.391616 ° -121.538378 °		60
31	6.65	6.65	Earthen Levee	Encroachments	LS	M	Debris	38.392858 ° -121.538085 °	38.392858 ° -121.538085 °	Y	28
32	6.71	6.71	Earthen Levee	Animal Control	LS	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.393624 ° -121.538390 °	38.393624 ° -121.538390 °		61
33	6.86	6.86	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.395602 ° -121.537990 °	38.395602 ° -121.537990 °		62
34	6.87	6.95	Earthen Levee	Encroachments	LS	PO	Landscaping	38.395670 ° -121.537925 °	38.396027 ° -121.536575 °	Y	30
35	7.07	7.09	Earthen Levee	Encroachments	LS	PO	Landscaping	38.397180 ° -121.535140 °	38.397540 ° -121.535183 °		31
36	7.32	7.32	Earthen Levee	Encroachments	LS	M	Prunings	38.400643 ° -121.535991 °	38.400643 ° -121.535991 °		63
37	7.39	7.39	Earthen Levee	Encroachments	WS	PO	Landscaping	38.401481 ° -121.536876 °	38.401481 ° -121.536876 °		64
38	7.42	7.44	Earthen Levee	Encroachments	LS	PO	Landscaping	38.401738 ° -121.537127 °	38.401999 ° -121.537390 °	Y	32

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway							Bank	Unit Miles	Inspection Date	Inspector	
Unit No. 03 Elk Slough							Left	9.58	09/24/2008	David Pesavento	
LMR Line	Levee Mile		Category	Item	* Location	* Rating	Action/Comment	GPS Latitude/Longitude		Photo	Issue
	Start	End						Start	End		
39	7.47	7.47	Earthen Levee	Encroachments	LS	PO	Landscaping	38.402319 ° -121.537744 °	38.402319 ° -121.537744 °		65
40	7.51	7.51	Earthen Levee	Encroachments	LS	M	Prunings	38.402735 ° -121.538140 °	38.402735 ° -121.538140 °		33
41	7.52	7.58	Earthen Levee	Encroachments	LS	PO	Landscaping	38.402922 ° -121.538277 °	38.403658 ° Y -121.538957 °		34
42	8.25	8.37	Earthen Levee	Animal Control	LS	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.409113 ° -121.538367 °	38.408443 ° -121.536406 °		35
43	8.46	8.46	Earthen Levee	Erosion / Bank Caving	WS	M	Note and monitor erosion site.	38.407960 ° -121.534898 °	38.407960 ° Y -121.534898 °		66
44	8.48	8.48	Earthen Levee	Erosion / Bank Caving	WS	M	Note and monitor erosion site.	38.407958 ° -121.534583 °	38.407958 ° -121.534583 °		67
45	8.52	8.52	Earthen Levee	Animal Control	CR	M	No rodents visible, but rodent burrows visible; need to backfill and compact or grout borrows.	38.408245 ° -121.533865 °	38.408245 ° -121.533865 °		68
46	8.52	8.62	Earthen Levee	Encroachments	LS	PO	Agricultural Ditch Inspector Comments: Irrigation Ditch in landside toe	38.408238 ° -121.533866 °	38.409291 ° -121.532702 °		69
47	8.59	8.59	Earthen Levee	Vegetation	LS	M	Remove the wild growth other than native grasses from the levee slopes.	38.408952 ° -121.533067 °	38.408952 ° -121.533067 °		70
48	9.16	9.16	Earthen Levee	Animal Control	LS	M	Exterminate rodents and backfill and compact or grout burrows.	38.415388 ° -121.528477 °	38.415388 ° -121.528477 °		71
49	9.31	9.38	Earthen Levee	Trim / Thin Trees	WS	M	Trim trees to at least five feet above ground level.	38.413908 ° -121.526637 °	38.413243 ° -121.525808 °		39
50	9.35	9.35	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.413433 ° -121.526180 °	38.413433 ° -121.526180 °		72
51	9.51	9.51	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.413169 ° -121.523707 °	38.413169 ° Y -121.523707 °		73
52	9.56	9.56	Earthen Levee	Trim / Thin Trees	WS	M	Trim and thin trees to allow visibility of the ground and room to flood fight.	38.413649 ° -121.523087 °	38.413649 ° -121.523087 °		74

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	1
Start Levee Mile	0.16
End Levee Mile	0.37
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control on landward slope at LM 0.16 to LM 0.37.	



Levee Mile Report Line	4
Start Levee Mile	1.22
End Levee Mile	1.22
Location	
Category	Earthen Levee
Item	Crown Surface / Depressions / Rutting
Minor depression on levee crown at LM 1.22	



Levee Mile Report Line	5
Start Levee Mile	1.23
End Levee Mile	1.23
Location	
Category	Earthen Levee
Item	Slope Stability
Damage slope from foot traffic and rain runoff at LM 1.23	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	7
Start Levee Mile	2.03
End Levee Mile	2.06
Location	
Category	Earthen Levee
Item	Animal Control
Backfill or grout rodent holes at LM 2.03 to LM 2.06.	



Levee Mile Report Line	8
Start Levee Mile	3.17
End Levee Mile	3.17
Location	
Category	Earthen Levee
Item	Vegetation
Good vegetation control on waterward slope at LM 3.17.	



Levee Mile Report Line	9
Start Levee Mile	3.43
End Levee Mile	3.48
Location	
Category	Earthen Levee
Item	Erosion / Bank Caving
Erosion damage on waterward toe from LM 3.43 to 3.48	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	10
Start Levee Mile	3.50
End Levee Mile	3.54
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping & garden on landward slope of levee at LM 3.50 to LM 3.54.	



Levee Mile Report Line	11
Start Levee Mile	3.77
End Levee Mile	3.77
Location	
Category	Earthen Levee
Item	Slope Stability
Repair slope damaged by foot traffic at LM 3.77.	



Levee Mile Report Line	12
Start Levee Mile	3.95
End Levee Mile	3.95
Location	
Category	Earthen Levee
Item	Encroachments
Debris pile on landward slope at LM 3.95.	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	13
Start Levee Mile	4.38
End Levee Mile	4.38
Location	
Category	Earthen Levee
Item	Vegetation
Example of good vegetation control along landward slope at LM 4.38.	



Levee Mile Report Line	15
Start Levee Mile	4.46
End Levee Mile	4.46
Location	
Category	Earthen Levee
Item	Encroachments
Remove pruning pile on landward slope at LM 4.46.	



Levee Mile Report Line	17
Start Levee Mile	4.55
End Levee Mile	4.58
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping blocking view of landward slope from 4.50 to 4.58	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	18
Start Levee Mile	4.59
End Levee Mile	4.59
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Thin/trim trees to allow for the top 20' waterward slope of levee to be seen at LM 4.59.	



Levee Mile Report Line	23
Start Levee Mile	5.93
End Levee Mile	5.93
Location	
Category	Earthen Levee
Item	Encroachments
Building & associated landscaping on levee crown at LM 5.93.	



Levee Mile Report Line	26
Start Levee Mile	6.24
End Levee Mile	6.31
Location	
Category	Earthen Levee
Item	Encroachments
Oleander on landward slope blocking view of levee from LM 6.24 to 6.32	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	28
Start Levee Mile	6.37
End Levee Mile	6.40
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landward slope blocking view from LM 6.37 to 6.40	



Levee Mile Report Line	31
Start Levee Mile	6.65
End Levee Mile	6.65
Location	
Category	Earthen Levee
Item	Encroachments
Remove debris from landward slope at LM 6.65.	



Levee Mile Report Line	34
Start Levee Mile	6.87
End Levee Mile	6.95
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landward slope blocking view from LM 6.87 to 6.95	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	38
Start Levee Mile	7.42
End Levee Mile	7.44
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landward slope blocking view from LM 7.42 to 7.47	



Levee Mile Report Line	41
Start Levee Mile	7.52
End Levee Mile	7.58
Location	
Category	Earthen Levee
Item	Encroachments
Landscaping on landward slope blocking view from LM 7.52 to 7.58	



Levee Mile Report Line	43
Start Levee Mile	8.46
End Levee Mile	8.46
Location	
Category	Earthen Levee
Item	Erosion / Bank Caving
Repair erosion on waterward slope near shoulder at LM 8.46.	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected

**Flood Control Project Maintenance
Levee Inspections**

Levee Inspection Report By Mile - Fall 2008

Reclamation District No. 0150

Waterway	Bank	Unit Miles	Inspection Date	Inspector
Unit No. 03 Elk Slough	Left	9.58	09/24/2008	David Pesavento

Levee Mile Report Line	51
Start Levee Mile	9.51
End Levee Mile	9.51
Location	
Category	Earthen Levee
Item	Trim / Thin Trees
Thin/trim trees to allow for visibility of top 20' of waterward slope at LM 9.51.	

*** Location**

LS : Land Side
WS : Water Side
CR : Crown

**** Rating**

A : Acceptable
M : Minimally Acceptable
U : Unacceptable
PO : Partially Obstructing
CO : Completely Obstructing
N : Not Inspected